# **Honeywell**

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

## **SECTION 1. IDENTIFICATION**

Product name : Genetron® 245fa

Number : 00000009878

Product Use Description : Refrigerant, Heat transfer fluid

Manufacturer or supplier's

details

Honeywell International Inc. 115 Tabor Road

Morris Plains, NJ 07950-2546

For more information call : 800-522-8001

+1-973-455-6300(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

:

(24 hours/day, 7 days/week)

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Form : Liquefied gas

Color : colourless

Odor : weak

#### Classification of the substance or mixture

Classification of the : Gases under pressure, Liquefied gas

substance or mixture Simple Asphyxiant

## GHS Label elements, including precautionary statements

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Symbol(s)

Signal word : Warning

Hazard statements : Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

Precautionary statements : **Prevention:** 

Use personal protective equipment as required.

Storage:

Protect from sunlight. Store in a well-ventilated place.

Hazards not otherwise

classified

: May cause eye and skin irritation.

May cause cardiac arrhythmia.

### Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : CHF2CH2CF3

Chemical nature : Substance

Chemical name	CAS-No.	Concentration	
1,1,1,3,3-Pentafluoropropane	460-73-1	100.00 %	

#### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Use oxygen as required,

Page 2 / 15

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

provided a qualified operator is present. Call a physician.

Skin contact : After contact with skin, wash immediately with plenty of water.

If symptoms persist, call a physician. Take off all contaminated clothing immediately. Wash contaminated clothing before re-

use.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician if irritation develops or

persists.

Ingestion : If victim is fully conscious, give a cupful of water. Do not induce

vomiting without medical advice. Never give anything by mouth

to an unconscious person. Call a physician immediately.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

necessary

: Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : The product is not flammable.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Carbon dioxide (CO2)

Dry chemical

Foam

Specific hazards during

firefighting

: This product is not flammable at ambient temperatures and

atmospheric pressure.

However, this material can ignite when mixed with air under

pressure and exposed to strong ignition sources.

Container may rupture on heating.

Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water

or not allow fair on from the fighting to effect drains of water

courses.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing.

Exposure to decomposition products may be a hazard to

health.

Page 3 / 15

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Fire may cause evolution of:

Hydrogen fluoride

Gaseous hydrogen chloride (HCI).

Carbon oxides

Halogenated compounds

Carbonyl halides

Special protective equipment

for firefighters

: In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.

Wear personal protective equipment. Unprotected persons

must be kept away.

Remove all sources of ignition.

Ventilate the area.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing. Avoid accumulation of vapours in low areas.

Unprotected personnel should not return until air has been

tested and determined safe.

Ensure that the oxygen content is >= 19.5%.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods and materials for containment and cleaning

up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Precautions for safe : Handle with care.

Page 4 / 15

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

handling Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Follow all standard safety precautions for handling and use of

compressed gas cylinders. Use authorized cylinders only.

Protect cylinders from physical damage.

Do not puncture or drop cylinders, expose them to open flame

or excessive heat.

Do not pierce or burn, even after use. Do not spray on a naked

flame or any incandescent material.

Do not remove screw cap until immediately ready for use.

Always replace cap after use.

Advice on protection against fire and explosion

Can form a combustible mixture with air at pressures above

atmospheric pressure.

Keep product and empty container away from heat and

sources of ignition.

#### Storage

Conditions for safe storage,

including any incompatibilities

Pressurized container. Protect from sunlight and do not expose

to temperatures exceeding 55 °C.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Storage rooms must be properly ventilated.

Ensure adequate ventilation, especially in confined areas.

Protect cylinders from physical damage. Store away from incompatible substances.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Engineering measures : Use with local exhaust ventilation.

Perform filling operations only at stations with exhaust

ventilation facilities.

Eye protection : Wear as appropriate:

Page 5 / 15

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Safety glasses with side-shields

Safety goggles

Hand protection : Impervious gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant gloves

Solvent-resistant apron and boots If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Wear a positive-pressure supplied-air respirator.

For rescue and maintenance work in storage tanks use self-

contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist.

Ensure adequate ventilation, especially in confined areas. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the

workplace.

Keep working clothes separately.

Wash hands before breaks and immediately after handling the

product.

**Exposure Guidelines** 

Components	CAS-No.	Value	Control parameters	Upda te	Basis
			1		
1,1,1,3,3- Pentafluoropropa ne	460-73-1	TWA: Time weighted average	1,644 mg/m3 (300 ppm)	2020	WEEL:US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

# **Honeywell**

## Genetron® 245fa

# 000000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : Liquefied gas

Color : colourless

Odor : weak

pH : Note: neutral

Melting point/range : -103 °C

Boiling point/boiling range : 15.3 °C

Flash point : Note: Not applicable

Evaporation rate : < 1

Method: Compared to Ether (anhydrous).

: > 1

Method: Compared to CCl4.

Lower flammability limit : Note: None

Upper flammability limit : Note: None

Vapor pressure : 1,227 hPa

at 20 °C(68 °F) 3,882 hPa

at 54.4 °C(129.9 °F)

Vapor density : 4.6 Note: (Air = 1.0)

Density : 1.32 g/cm3 at 20 °C

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Water solubility : 7.18 g/l

Solubility in other solvents : Medium: Methanol

Note: partly soluble

Medium: Diethylether Note: partly soluble

Partition coefficient: n-

octanol/water

: log Pow: 1.35 at 21.5 °C

Note: The product is more soluble in octanol.

Ignition temperature : 412 °C

Decomposition temperature : > 250 °C

Molecular weight : 134.03 g/mol

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under recommended storage conditions.

Conditions to avoid : Pressurized container. Protect from sunlight and do not

expose to temperatures exceeding 55 °C.

Can form a combustible mixture with air at pressures above

atmospheric pressure.

Do not mix with oxygen or air above atmospheric pressure.

Incompatible materials : Strong oxidizing agents

Finely divided magnesium Finely divided aluminium

Hazardous decomposition

products

: Halogenated compounds

Carbon oxides Hydrogen fluoride

Page 8 / 15

# **Honeywell**

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Carbonyl halides

Gaseous hydrogen chloride (HCI).

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute inhalation toxicity : LC50: > 200000 ppm

Exposure time: 4 h Species: Rat

Note: No deaths Evidence of transient anesthetic effect.

: LC50: > 100000 ppm Exposure time: 4 h Species: Mouse

Note: No deaths Evidence of transient underactivity during

exposure.

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rabbit

Sensitisation : Cardiac sensitization

Species: dogs

Note: No effects noted at 35,000 ppm, the threshold for induction of cardiac arrhythmias in the presence of injected

adrenalin was 44,000 ppm.

Repeated dose toxicity : Species: Rat

NOEL: 50000 ppm

Note: Embryotoxicity Not a teratogen

: Species: rat (pups) NOEL: 50000 ppm

: Species: rat (dams) NOEL: 2000 ppm

Note: due to decrease in body weight gains at 10,000 ppm

and 50,000 ppm

Page 9 / 15

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

: Species: Rat

Method: 2 Generation Inhalation Toxicity

Note: Exposures 6hrs/day, 7 days/wk at 0(control), 2000,

10,000 and 50,000 ppm.

: Species: rat (dams)

Note: Toxicity seen in dams at 10,000 and 50,000 ppm and in pups at 50,000 ppm. Increased mortality late in the lactation

phase of the study.

: Species: Rat

Note: 28-day Inhalation Study NOAEL (No observed adverse effect level) - 50,000 ppm NOEL - 500 ppm Dose levels:

0,500, 2000, 10,000 and 50,000 ppm

: Species: Rat

Note: 90-day Inhalation Study Dose levels: 0,500, 2000, 10,000 and 50,000 ppm NOAEL (No observed adverse effect

level) - 2,000 ppm

Note: Overall, subchronic studies showed dose-related increases in urinary fluoride levels, urine volumes and water consumption. Increases were noted in hematological parameters, BUN levels and serum liver enzyme activities (GOT, GPT). These increases did not follow a dose response; however, they indicate that HFC-245fa is metabolized in the liver. Significant recovery was noted in these parameters following a 2-week, non-exposure period which followed the 28-day exposure period. No histopathological effects were noted in the 28-day study. The 90-day study noted an increase in incidence and severity (trace to moderate) of mycarditis (inflammation of the heart muscle) at 10,000 and 50,000 ppm. This was not noted at the 500 or 2,000 ppm dose levels nor was it seen the 28-day study at 50,000 ppm.

Genotoxicity in vitro

Cell type: Human lymphocytes

Result: Weak positive activation without S9 at 30% v/v; not

active with S9 up to 70% v/v.

: Test Method: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo

Species: Mouse

Cell type: Bone marrow Application Route: Inhalation

Page 10 / 15

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

Method: Mutagenicity (micronucleus test)

Result: negative

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity effects**

Toxicity to fish : EC50: > 81.8 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

: NOEC: > 10 mg/l Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : EC50: > 97.9 mg/l

aquatic invertebrates

EC50: > 97.9 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

: NOEC: > 97.9 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to algae : Growth inhibition

EC50: > 118 mg/l Species: Algae

Method: OECD Test Guideline 201

## Elimination information (persistence and degradability)

Bioaccumulation : Note: No data available

Mobility : Note: No data available

Biodegradability : Note: No data available

Page 11 / 15

# **Honeywell**

## Genetron® 245fa

# 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

### Further information on ecology

Additional ecological

information

: This product is subject to U.S. Environmental Protection Agency Clean Air Act Regulations at 40 CFR Part 82.

This product contains greenhouse gases which may

contribute to global warming. Do NOT vent to the atmosphere. To comply with provisions of the U.S. Clean Air Act, any

residual must be recovered.

Refer to sections 610 and 612 for list of acceptable and

unacceptable uses for this product.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

Note : Where possible recycling is preferred to disposal or

incineration.

### **SECTION 14. TRANSPORT INFORMATION**

**DOT** UN/ID No. : UN 3163

Proper shipping name : LIQUEFIED GAS, N.O.S.

(1,1,1,3,3-Pentafluoropropane)

Class 2.2

Packing group

Hazard Labels 2.2

IATA UN/ID No. : UN 3163

Description of the goods : LIQUEFIED GAS, N.O.S.

(1,1,1,3,3-Pentafluoropropane)

Class : 2.2 Hazard Labels : 2.2 Packing instruction (cargo : 200

aircraft)

Packing instruction : 200

(passenger aircraft)

**IMDG** UN/ID No. : UN 3163

Description of the goods : LIQUEFIED GAS, N.O.S.

(1,1,1,3,3-PENTAFLUOROPROPANE)

Page 12 / 15

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

> Class : 2.2 Hazard Labels : 2.2 : F-C, S-V EmS Number Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

### **Inventories**

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Inventory of

Industrial Chemicals (AIIC),

as amended

: On the inventory, or in compliance with the inventory

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic

Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law

List

: On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)

: Not in compliance with the inventory

China. Inventory of Existing

Chemical Substances

(IECSC)

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Taiwan Chemical

Substance Inventory (TCSI)

: On the inventory, or in compliance with the inventory

# Honeywell

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

### **National regulatory information**

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

Acute Health Hazard

California Prop. 65 : 🔥

**WARNING:**This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Dichloromethane 75-09-2

Massachusetts RTK : Dichloromethane 75-09-2

Pennsylvania RTK : Dichloromethane 75-09-2

#### **SECTION 16. OTHER INFORMATION**

	HMIS III	NFPA	
Health hazard	: 2	2	
Flammability	: 1	1	
Physical Hazard	: 0		
Instability	:	0	

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

<b>~</b> •		-\ /			$\sim$ .	. — -	
C. V	νFΕ <sup>-</sup>	IV	11/	IΛ	$C \vdash$	ι∟∟	- 1
$\circ$	NI L		$\Box$	1 /~	OI.	ᄔᄔ	_ I

# **Honeywell**

## Genetron® 245fa

## 00000009878

Version 2.13 Revision Date 09/22/2023 Print Date 12/20/2023

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/08/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group